QC Display: poes_n17_20040502.txt 00:00 400 mm Si 200 mm Si 200 mm mm 100 mm Si 06:00 10:00 18:00 04:00 20:00 22:00 00:00 SSLAT, degrees 20 15 10 5 0 L-value 400 300 200 100 0 degrees MLT 200 150 100 50 0 degrees PASQ, PAS90 10⁶ MEP0E1, MEP0E2, counts/sec 10⁴ 10³ 10² 10¹ $10^{0} \\ 10^{-1} \\ 10^{6} \\ 10^{5} \\ 10^{4} \\ 10^{3} \\ 10^{2} \\ 10^{1}$ counts/sec 10⁰ 10⁶ 10⁵ 10⁴ 10² 10¹ counts/sec $10^{0} \\ 10^{-1} \\ 10^{6} \\ 10^{5} \\ 10^{4} \\ 10^{3} \\ 10^{2}$ MEP90P4 MEP90P6 counts/sec 10 10⁰ 10⁵ MEPOMP8, MEPOMP9 10⁴ counts/sec 10³ 10² 10¹ $10^{0} \\ 10^{-1} \\ 10^{3} \\ 10^{2} \\ 10^{1} \\ 10^{0} \\ 10^{-1}$ ergs/cm²sec 10⁻² $10^{-3} \\ 10^{-4} \\ 10^{5} \\ 10^{4} \\ 10^{3} \\ 10^{2} \\ 10^{1}$ e< 0.0 04:00 06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 00:00 02:00 22:00 00:00

May 02, 2004 (Universal Time)